



KOMPLETI ZA NADogradnju

ZA VARIJABILNE VOLUMNE PROTOKE ILI V_{MIN}-V_{MAKS} PREBACIVANJE U SOBNIM KLIMATIZACIJSKIM SUSTAVIMA

Pogoni i pribor za ugradnju za mehaničke samopogonjene CAV regulatore tipa EN, RN ili VFC i zaklopke za podešavanje protoka tipa VFR

- Kompleti dijelova za jednostavni nadogradnju
- Potencijometar ili mehanički graničnici
- Napon napajanja 24 V AC/DC ili 230 V AC
- Ulazni signal upravljanja: naponski signal 0 - 10 V za modulacijske pogone
- Ulazni signal upravljanja: 1-žično ili 2-žično upravljanje (3-točke) za prebacivanje između min/maks. vrijednosti
- Pozitivni zaporni spoj s CAV regulatorom ili zaklopka za podešavanje protoka

Opcijski pribor za tipove RN i EN

- Pomoćna sklopka s podesivim točkama uklapanja, na primjer za registriranje krajnjih položaja

Primjena



Primjena

Kompleti dijelova za nadogradnju mehanički samopogonjenih regulatora volumnog protoka ili zaklopki za podešavanje protoka s pogonima CAV regulatori tipa EN ili RN, kao i za VFC

- Prebacivanje između min./maks. zadanih vrijednosti volumnog protoka
- Varijabilno podešavanje zadanih vrijednosti volumnog protoka

Zaklopke za podešavanje protoka, tip VFR

- Promjena min/maks. položaja lopatice

Opis



Dijelovi i svojstva

- Lopatica može biti u različitim položajima
- Mehanički graničnici ili potenciometri (samo za tipove VFC i VFR) za podešavanje volumnih protoka
- Napon napajanja 24 V AC/DC ili 230 V AC
- Prebacivanje između zadanih vrijednosti ili raspona signalnog napona 0 - 10 V DC

TEHNIČKI PODACI

Actuators for volume flow controllers Type RN or EN

Part number	Quality	Supply voltage	Model	Identical to attachment
NR-VAV-B50	Min/Max switching, mechanical stops	24 V AC/DC	LMA24-F	B50
NR-VAV-B60	Min/Max switching, mechanical stops	230 V AC	LMA230-F	B60
NR-VAV-B70	Variable adjustment, mechanical stops	24 V AC/DC	LMA24-SR-F	B70
NR-VAV-S2	Auxiliary switch		S2A	B*2
NR-VAV-RNMAT	Installation accessories for RN			
NR-VAV-ENMAT	Installation accessories for EN			

Installation accessories for CAV controllers Type EN or RN are to be ordered separately

Retrofit kits for EN, RN, VFC, VFR

NR-VAV-B50



Retetrofit kit

For Types RN and EN

- NR-VAV-B50** Retrofit actuator for min/max switching, identical to attachment B50
- NR-VAV-B60** Retrofit actuator for min/max switching, identical to attachment B60
- NR-VAV-B70** Retrofit actuator for variable adjustment, identical to attachment B70
- NR-VAV-S2** Retrofit auxiliary switch, identical to attachment B*2

- NR-VAV-RNMAT** Installation accessories for RN
- NR-VAV-ENMAT** Installation accessories for EN

For Types VFC and VFR

- NR-VAV-E01** Retrofit actuator for min/max switching, identical to attachment E01
- NR-VAV-E02** Retrofit actuator for min/max switching, identical to attachment E02
- NR-VAV-E03** Retrofit actuator for variable adjustment, identical to attachment E03
- NR-VAV-M01** Retrofit actuator for min/max switching, identical to attachment M01
- NR-VAV-M02** Retrofit actuator for min/max switching, identical to attachment M02